

HIV/HCV Rapid Testing Quality Assurance (QA) Log

Test Provider ID	Date
------------------	------

Practice

Client ID	Test Name	Lot Number	Expiration Date	Begin Test Time	End Test Time	HIV Result	HCV Result	Vial Color
			MM-DD-YYYY	Begin Test Temp.	End Test Temp.			
	☐ OraQuick HIV ☐ INSTI HIV ☐ OraQuick HCV			☐ AM ☐ PM °F	☐ AM ☐ PM °F	☐ Preliminary Positive ☐ Negative ☐ Invalid	☐ Reactive ☐ Non-Reactive ☐ Invalid	☐ White/Clear ☐ Black ☐ Red

Proficiency

Client ID	Test Name	Lot Number	Expiration Date	Begin Test Time	End Test Time	HIV Result	HCV Result	Vial Color
			MM-DD-YYYY	Begin Test Temp.	End Test Temp.			
	☐ OraQuick HIV ☐ INSTI HIV ☐ OraQuick HCV			☐ AM ☐ PM °F	☐ AM ☐ PM °F	☐ Preliminary Positive ☐ Negative ☐ Invalid	☐ Reactive ☐ Non-Reactive ☐ Invalid	☐ White/Clear ☐ Black ☐ Red
	☐ OraQuick HIV ☐ INSTI HIV ☐ OraQuick HCV			☐ AM ☐ PM °F	☐ AM ☐ PM °F	☐ Preliminary Positive ☐ Negative ☐ Invalid	☐ Reactive ☐ Non-Reactive ☐ Invalid	☐ White/Clear ☐ Black ☐ Red
	☐ OraQuick HIV ☐ INSTI HIV ☐ OraQuick HCV			☐ AM ☐ PM °F	☐ AM ☐ PM °F	☐ Preliminary Positive ☐ Negative ☐ Invalid	☐ Reactive ☐ Non-Reactive ☐ Invalid	☐ White/Clear ☐ Black ☐ Red

For Training Purposes Only