

Biostatistics 208 HW #1, Due 1/27/15

INSTRUCTIONS

The first part of the assignment is to complete Problems 2.1-2.6 at the end of chapter 2 in the course textbook, *Regression Methods in Biostatistics*. The problems are also posted on the course website. For Problems 2.2 and 2.3, you can control the number of observations using the `set obs` command before you generate the pseudo-random data, as shown in the first lab. The datasets for Problems 2.4-2.6 can be found on the course website.

The second part of the assignment involves a linear regression model with a categorical predictor, the four-level behavioral pattern variable `behpat` in the WCGS dataset used in Problem 2.6.

- Using the `tab`, `sum( )` command, compute average systolic blood pressure (variable `sbp`) according to behavioral pattern. (Note that the `tabstat` command can also be used here.)
- Using the `i.` prefix (to be discussed in the second lecture and lab) for the categorical predictor variable `behpat`, run an unadjusted linear regression with outcome `sbp`.
- Write down the values of the indicator variables required to represent `behpat` in the model, using a table similar to table 4.3 in the textbook.
- Using the `lincom` command, and the appropriate `i.` prefixes to specify the various behavior patterns, obtain the average SBP in the four behavior pattern groups.
- Use the `testparm` command to obtain an F -test of the null hypothesis that mean SBP is the same in all four behavioral pattern groups. Write a brief description of the results.

Please email your completed assignment to biostat208@gmail.com by 10:30 AM on Tuesday, Jan 27, 2015.